	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	IS&R	162	("362/545").CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 11:07		
2	BRS	16	(("362/545").CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 12:18		
3	IS&R	2254	(("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219")).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 12:18		
4	IS&R	2982	(("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 12:18		
5	BRS	69	((("362/549") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 11:15		
6	BRS	3	(((("362/549") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and (flexible near3 (board or cover or envelop$3)) and (flexible near3 conduct$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 13:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7	BRS	20	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:25		
8	BRS	4	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (flexible near3 conduct$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 14:31		
9	BRS	3	(((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (flexible near3 conduct$3)) and (adhesive or adher$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 13:18		
10	BRS	0	((("5404869") or ("6005692") or ("6016038")).PN.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 13:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
11	IS&R	7	(("5404869") or ("6005692") or ("6016038")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 13:20		
12	BRS	18	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and (flexible near3 (board or cover or envelop$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 14:02		
13	BRS	1	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (circuit near3 trace)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 14:30		
14	BRS	0	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and (light$3 near4 vehicle?) and (mount4 or attach$4) near3 (outside or exterior) near3 vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/07 14:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	0	(((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) and (((outside or exterior) near3 surface?) near4 vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/07 14:40		
16	BRS	121	((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:16		
17	BRS	121	(((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 09:52		
18	BRS	0	((((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) and ((internal$2 near reflect$3) near (surface? or lens))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:25		
19	BRS	3	(((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) and (internal$2 near reflect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:21		
20	BRS	301	((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:25		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS	2	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and ((internal$2 near reflect$3) near (surface? or lens))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:28		
22	BRS	13	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and ((total near internal$2 near reflect$3) or TIR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 11:17		
23	BRS	20	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/09 15:08		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
24	BRS	1	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (infrared near3 light$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:53		
25	BRS	12	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3)) and (infrared near3 light$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:44		
26	BRS	14	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?)) near3 plural$3)) and ((yellow and red) near3 light$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/08 10:45		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
27	BRS	0	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?) near3 plural$3)) and ((total near internal$2 near reflect$3) or TIR)) and (head near (lamp or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 10:54		
28	BRS	3	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and ((LED? or (light near emitting near diode?) near3 plural$3)) and (head near (lamp or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 10:54		
29	BRS	69	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 11:16		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
30	BRS	1	((((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) or (((("362/549") or ("362/287") or ("362/231") or ("362/237") or ("362/245") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble))) and (((total near internal$2 near reflect$3) or TIR) near4 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 11:19		
31	BRS	5	((((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) or (((("362/549") or ("362/287") or ("362/231") or ("362/237") or ("362/245") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble))) and (((total$2 near internal$2 near reflect$3) or TIR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 11:21		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
32	BRS	21	((((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) or (((("362/549") or ("362/499") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble))) and ((internal$2 near reflect$3) or TIR or fresnel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/08 11:22		
33	BRS	0	((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle?) and (positive same negative same conduct$3 same trace?)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:28		
34	BRS	0	((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle?) and (positive same negative same conduct$3 same (layer? or circuit? or foil?))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:29		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
35	BRS	0	((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (flex?ble near3 conduct$3 near3 (layer? or circuit? or foil?))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:30		
36	BRS	4	((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (flex?ble near3 conduct$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:45		
37	BRS	20	((((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:33		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
38	BRS	4	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and (flex$4 near3 (conduct$3 or circuit? or trace?))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:56		
39	BRS	121	(((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 09:53		
40	BRS	13	(((((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble) and vehicle)) and (flex$4 near3 (conduct$3 or circuit? or trace?))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 10:01		
41	BRS	20	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/09 15:09		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
42	BRS	2	(((("362/549") or ("362/499") or ("362/287") or ("362/487") or ("362/231") or ("362/237") or ("362/245") or ("362/259") or ("362/219") or ("362/800")).CCLS.) and (((LED? or (light near emitting near diode?)) near3 plural$3) and flex?ble)) and vehicle?) and ((adhesiv$3 or adher$3) near3 (mount$3 or attach$4 or affix$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:08		

08/10/2001, EAST Version: 1.02.0008

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1 IS&R	L1	25	(("6048083") or ("5929788") or ("5926320") or ("5103381") or ("4337759") or ("3875561") or ("3852584") or ("3610912") or ("1888995")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:11			0
2 BRS	L2	172	Parkyn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:11			0
3 BRS	L3	2	(1 and 2) and ((tir or (total$2 near internal$2 near reflect$3)) and (light near3 (source? or emit$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:20			0

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
BRS	L4	0	3 and vehicle?	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/10 10:17			0
BRS	L5	0	3 and vehic$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/10 10:17			0
BRS	L6	0	(1 and 2) and vehic$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/10 10:18			0

08/10/2001, EAST Version: 1.02.0008

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
BRS	L7	0	(1 and 2) and (head near (light? or lamp?))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:27			0
BRS	L8	1	(1 and 2) and (headlamp? or headlight?)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/08/10 10:27			0

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1	☐	☒	US 6250788 B1	20010626	4	Motor vehicle light arrangement	362/541	362/499 ; 362/543 ; 362/545 ; 362/800	
2	☐	☒	US 6158882 A	20001212	9	LED semiconductor lighting system	362/488	362/249 ; 362/287 ; 362/471 ; 362/545 ; 362/800	
3	☐	☒	US 6149288 A	20001121	6	Vehicle light assembly with detachable and replaceable circuit board having plug-in terminal connectors	362/545	362/459 ; 362/487 ; 362/492 ; 362/505 ; 362/506	362/545
4	☐	☒	US 5570951 A	19961105	4	Illuminating device for motor vehicles	362/231	362/244 ; 362/259 ; 362/518 ; 362/545 ; 362/800	
5	☐	☒	US 5490049 A	19960206	10	LED signalling light	362/240	362/241 ; 362/245 ; 362/329 ; 362/521 ; 362/545 ; 362/800	
6	☐	☒	US 5477436 A	19951219	4	Illuminating device for motor vehicles	362/545	362/231 ; 362/244 ; 362/259 ; 362/800	362/545
7	☐	☒	US 5424924 A	19950613	6	Illuminated vehicle bra	362/545	362/252 ; 362/496 ; 362/800 ; 362/812 ; 40/550 ; 40/556 ; 40/591 ; 428/31	362/545

	Inventor	S	C	P	2	3	4	5
1	Muller, Michael	☒	☐	☐	☐	☐	☐	☐
2	Bischoff, Jr., A. John	☒	☐	☐	☐	☐	☐	☐
3	Huang, Nan Huang	☒	☐	☐	☐	☐	☐	☐
4	Bertling, Johannes-Gerhard , et al.	☒	☐	☐	☐	☐	☐	☐
5	Montalan, Dominique , et al.	☒	☐	☐	☐	☐	☐	☐
6	Bertling, Johannes-Gerhard , et al.	☒	☐	☐	☐	☐	☐	☐
7	Ewing, Johnny W. G. , et al.	☒	☐	☐	☐	☐	☐	☐

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
8	☐	☒	US 4819135 A	19890404	7	Bicycle lighting device	362/473	340/432 ; 362/252 ; 362/396 ; 362/545 ; 362/549	
9	☐	☒	JP 03028084 A	19910206	2	BODY OF CAR		362/545 ; 362/478	
10	☐	☒	US 5642928 A	19970701	8	Decorative light strips for in-line skates	362/545	362/227 ; 362/234 ; 362/459 ; 362/800	
11	☐	☒	US 5436809 A	19950725	15	Indicating light unit having modular luminous elements, for a motor vehicle	362/545	362/249 ; 362/800	
12	☐	☒	US 5373280 A	19941213	12	Vehicle signal light	340/425.5	340/468 ; 340/472 ; 362/238 ; 362/506 ; 362/509 ; 362/545	
13	☐	☒	US 5121305 A	19920609	6	Wheel light	362/473	362/193 ; 362/216 ; 362/545 ; 362/800	
14	☐	☒	US 5921652 A	19990713	10	Light emitting panel assemblies	362/31	362/231 ; 362/245 ; 362/800	
15	☐	☒	US 5871271 A	19990216	15	LED illuminated protective headwear	362/106	362/103 ; 362/105 ; 362/800	
16	☐	☒	US 5848837 A	19981215	17	Integrally formed linear light strip with light emitting diodes	362/235	362/226 ; 362/240 ; 362/800	
17	☐	☒	US 5808592 A	19980915	19	Integrated light-emitting diode lamp and method of producing the same	345/83	313/512 ; 362/800	

	Inventor	S	C	P	2	3	4	5
8	Padilla, Edward , et al.	☒	☐	☐	☐	☐	☐	☐
9	MATSUMOTO, TAKUYA	☒	☐	☐	☐	☐	☐	☐
10	Hylton, Anthony E.	☒	☐	☐	☐	☐	☐	☐
11	Brassier, Marc , et al.	☒	☐	☐	☐	☐	☐	☐
12	Louy, Jean-Francois , et al.	☒	☐	☐	☐	☐	☐	☐
13	Deed, John , et al.	☒	☐	☐	☐	☐	☐	☐
14	Parker, Jeffery R. , et al.	☒	☐	☐	☐	☐	☐	☐
15	Chien, Tseng Lu	☒	☐	☐	☐	☐	☐	☐
16	Gustafson, Thomas L.	☒	☐	☐	☐	☐	☐	☐
17	Mizutani, Junichi , et al.	☒	☐	☐	☐	☐	☐	☐

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
18	☐	☒	US 5797672 A	19980825	13	Safety light	362/190	362/191 ; 362/226 ; 362/473 ; 362/487 ; 362/800	
19	☐	☒	US 5769533 A	19980623	18	Illumination tape	362/249	362/227 ; 362/252 ; 362/253 ; 362/800	
20	☐	☒	US 5746500 A	19980505	13	Illuminated laces for footwear	362/103	36/137 ; 362/191 ; 362/800	
21	☐	☒	US 5585783 A	19961217	15	Marker light utilizing light emitting diodes disposed on a flexible circuit board	340/473	340/815.45 ; 340/908.1 ; 340/985 ; 362/800	
22	☐	☒	US 5559681 A	19960924	12	Flexible, self-adhesive, modular lighting system	362/252	362/237 ; 362/244 ; 362/251 ; 362/800 ; 362/806 ; 439/210	
23	☐	☒	US 5544027 A	19960806	7	LED display for protective helmet and helmet containing same	362/105	2/422 ; 362/800	
24	☐	☒	US 5490048 A	19960206	15	Modular element for motor vehicle indicator lights	362/238	362/249 ; 362/546 ; 362/800	
25	☐	☒	US 5434759 A	19950718	18	Safety indicating device	362/108	362/103 ; 362/252 ; 362/800	
26	☐	☒	US 5155669 A	19921013	8	Light emitting apparatus	362/252	362/249 ; 362/800	
27	☐	☒	US 6016038 A	20000118	15.	Multicolored LED lighting method and apparatus	315/291	315/292 ; 315/312 ; 315/362	

	Inventor	S	C	P	2	3	4	5
18	Dobert, Frank C.	☒	☐	☐	☐	☐	☐	☐
19	Yamuro, Yukio , et al.	☒	☐	☐	☐	☐	☐	☐
20	Chien, Tseng-Lu	☒	☐	☐	☐	☐	☐	☐
21	Hall, Roger E.	☒	☐	☐	☐	☐	☐	☐
22	Duarte, Noah G.	☒	☐	☐	☐	☐	☐	☐
23	Orsano, Anthony	☒	☐	☐	☐	☐	☐	☐
24	Brassier, Marc , et al.	☒	☐	☐	☐	☐	☐	☐
25	Endo, Osamu , et al.	☒	☐	☐	☐	☐	☐	☐
26	Yamuro, Yukio	☒	☐	☐	☐	☐	☐	☐
27	Mueller, George G. , et al.	☒	☐	☐	☐	☐	☐	☐

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
28	☐	☒	US 6005692 A	19991221	7	Light-emitting diode constructions	359/15	257/40 ; 257/89 ; 257/98 ; 359/34 ; 385/37	
29	☐	☒	US 5404869 A	19950411	30	Faceted totally internally reflecting lens with individually curved faces on facets	126/699	126/698 ; 126/700 ; 136/246 ; 359/642	
30	☐	☒	US 4774642 A	19880927	9	Illuminated article	362/108	362/103 ; 362/800 ; 362/806	
31	☐	☒	US 6193385 B1	20010227	9	Removable, reusable safety light	362/108	362/103	
32	☐	☒	US 6164782 A	20001226	11	Self-contained lighted marking device	359/528	359/527 ; 359/529 ; 359/530 ; 362/183 ; 362/243 ; 362/339	
33	☐	☒	US 6158867 A	20001212	13	Light emitting panel assemblies for use in automotive applications and the like	362/29	200/313 ; 200/314 ; 362/278 ; 362/320 ; 362/85	
34	☐	☒	US 5895115 A	19990420	13	Light emitting panel assemblies for use in automotive applications and the like	362/511	362/244 ; 362/31 ; 362/320 ; 362/496 ; 362/543	
35	☐	☒	US 5418384 A	19950523	26	Light-source device including a linear array of LEDs	257/88	257/443 ; 257/98 ; 362/800 ; 399/221	

	Inventor	S	C	P	2	3	4	5
28	Stahl, Thomas D.	☒	☐	☐	☐	☐	☐	☐
29	Parkyn, Jr., William A. , et al.	☒	☐	☐	☐	☐	☐	☐
30	Janko, Michael , et al.	☒	☐	☐	☐	☐	☐	☐
31	Maki, William M. , et al.	☒	☐	☐	☐	☐	☐	☐
32	Pojar, Stephen J.	☒	☐	☐	☐	☐	☐	☐
33	Parker, Jeffery R. , et al.	☒	☐	☐	☐	☐	☐	☐
34	Parker, Jeffery R. , et al.	☒	☐	☐	☐	☐	☐	☐
35	Yamana, Shinji , et al.	☒	☐	☐	☐	☐	☐	☐

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
36	☐	☒	US 5785404 A	19980728	10	Localized illumination device	362/555	362/459 ; 362/489 ; 362/800	
37	☐	☒	US 5926320 A	19990720	17	Ring-lens system for efficient beam formation	359/641	359/618	

	Inventor	S	C	P	2	3	4	5
36	Wiese, Lynn	☒	☐	☐	☐	☐	☐	☐
37	Parkyn, Jr., William A. , et al.	☒	☐	☐	☐	☐	☐	☐